Z/038/60/000/011/003/006 A201/A026

The Sensitive Gamma-Background and Surface Beta-Contamination Detector

The tube assembly is connected with the recording unit by a 60 cm long metal tube fitted with a sliding ring and a fixing sorew by which the entire assembly is attached to the panoramic head of a camera tripod (Fig. 1). To eleminate the "glasshouse effect" inside the box, 5 holes, 20 mm in diameter, have been bored into the longer side walls and the entire box was covered by glossy white paper. The NNC-223-T meter is fitted with a microammeter with 3 ranges of 0.1, 1 and 10, which in their entire scale-range correspond to dose-rate intensities of 0.5, 5 and 50 mr/h, respectively. The instrument is powered by five MR 19 mercury cells with a total voltage of 6.5 v and a capacity of 3 ampere/hour, capable of operating the instrument for 100 hours. The time constant of the instrument has been increased by the addition of a 5,000 pr capacitor to decrease the oscillations of the needle. The entire assembly weighs 4.82 kg, of which the tripod weight is 0.9 kg. Mumerous measurements have shown that the instrument is capable of furnishing reproducible results. The calibration of the detector relative to the natural background has been made at the sports field adjoining the swimming pool of the Ma Bulovce Hospital, using 2 Ra-226 standards made available by the Dosimetricke oddeleni (Domemetric Section). One was the No B-5 standard with an approximate Ra-226 content of 20 mg and a dose intensity of 153 r/cm. hour; the other was the Card 2/8

Z/038/60/000/011/003/006 A201/A026

The Sensitive Gamma-Background and Surface Beta-Contamination Detector

No. 10 standard with an approximate Ra-226 content of 1 mg and a dose intensity of 7.54 r/om · hour. The first standard was placed at a distance of 25 m from the vertical plane of the CM tubes, the other at a distance of 6 m. Due to the directional effect of the CM tubes, the calibration was made from 3 directions: a)with the beam perpendicular to both the plane and the axis of the tubes; b) with the beam forming a 450 angle with the plane and axis of the tubes; c) with the beam forming a 0° angle with the plane and the axis of the tubes. The relation of the values obtained was: a:b:c = 100:85.5:68.7. The calculated dose intensity of the standard was multiplied by the average of the 3 values (0.857). It was found that for these conditions the value of 0.1 mr/h indicated by the ammeter in the most sensitive (0.1) range corresponded to an actual dose intensity of 7.18 r/h. This meant that the instrument in this arrangement had a sensitivity 14 times greater than in its original arrangement. The calibration was repeated several weeks later under similar conditions yielding exactly the same results. In field measurements the value indicated by the instrument consists of 3 components: a) the internal background of the instrument given by the activity of the tubes, which is relatively low since iron walls are used; b) the unfiltered cosmic radiation dose; o) the gamma radiation dose of the soil. Measurements made at the same place where Card 3/8

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"

2/038/60/000/011/003/006 A201/A026

The Sensitive Gamma-Background and Surface Beta-Contamination Detector

the calibration had been performed yielded on several days always the same value of 12.58 pr/h with a deviation of 13 %. To eliminate the radiation component of the soil o), measurements were made on the swimming pool of the hospital on April 8, 1960. The outside dimensions of the swimming pool are 25 X 15 m, inside dimensions 17×7 m, and the depth is 2.9 m. The swimming pool was refilled for the last time on August 23, 1959, with water from the Vitava River so that any additional radon that might originally have been present had decayed already. Radon formed by the decay of Ra-226 dissolved in the Vltava River water is negligible since this water contains less than 10-13 g Ra-226/liter. The detector was placed on a rubber raft, 3.20 m long, 1.25 m wide. The probe with the tubes was extended over the raft board about 30 cm above and parallel to the water level. The lowest value was measured at the center of the pool, viz. 5.74 r/h. This value is then the sum of the a)-internal background of the instrument- and b) -cosmic radiation - components For the altitude of 260 m above mean sea level, at which the measurements were made and for the geomagnetic latitude of Prague, the unfiltered cosmic radiation produces 2.2 ion pairs/om3 . sec, corresponding to a dose intensity of 3.46 pr/h. This leaves 2.25 \mur/h for the internal background of the instrument. Consequently, for

Card 4/8

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"

Z/038/60/000/011/003/006 A201/A026

The Sensitive Camma-Background and Surface Beta-Contamination Detector

this specific place the natural gamma radiation background (gamma radiation of the soil + cosmic radiation) is $10.3\,\mu$ r/h, or 90.0 mr/year. This figure is in good agreement with values measured abroad in similar environments. The instrument was also tested for its suitability as surface beta-contamination meter. T1-20% with a maximum energy of 0.76 Mev was used as standard. An accurately measured standard solution of this radioisotope was adequately diluted. Filter paper with an area of 180 om² was soaked in this solution, acquiring a total activity of 1.28 \cdot 10⁻⁸e, and a surface activity of 7.1 : 10-11 o/cm2. The paper was placed on an "Umaplex" plate of the same dimension as the lid of the instrument box and covered with a cellophane foil with a surface density of 4.1 mg/cm2. The lid of the instrument was then replaced by the plate with the paper facing the tubes. Measurements have, shown that the instrument is capable of detecting even lower activities, vis. about 4 · 10-11 o/cm2. It is therefore well suitable for measurements of personnel surface beta-contamination. Since the instability of the mercury della is practically the only cause affecting the proper operation of the instrument, a portable standard for checking on the operation of the detector has been prepared. The standard uses barium-radium carbonate with a total activity of 3 to 5 · 10-7 c Ra-226 filled in a sealed glass capillary, 42 mm long, 3 mm in diameter. The capillary is em-Card 58

2/038/60/000/011/003/006 A201/A026

The Sensitive Camma-Background and Surface Beta-Contamination Detector

bedded in an "Umaplex" prism, 50 x 8 x 8 mm, and plugged with an "Umaplex" stopper. Since the standard emits only 4.5 mm/cm · hour, it can be handled safely without special precaution. For checkings the standard is placed in the center of the instrument-box lid and the value is read from the less sensitive (1) range. In this arrangement the microammeter needle usually deflects over one third to one half of the scale. A photograph of the standard is shown in Figure 3. There are 3 photographs and 9 references: 1 Csech, 1 German and 7 English.

ASSOCIATION:

Fakulta technické a Jaderné fyziky ČVUT (Department of Technical and Nuclear Physics, ČVUT) (F. Běhounek); Dosimetrické oddělení ÚJV ČSAV (Dosimetric Section, ÚJV, ČSAV) (J. Kočí)

Card 6/8

KOCI, Jiri

Personal acoustic dosimeter of Gamma, X and N rays. Jaderna energie 6 no.9:312 S 160.

1. Dosimetricke oddeleni, Ustav jaderneho vyskumu, Ceskoslovenska akademie ved, Praha.

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"

BRHOUNK, Frantisck; KOCI, Jiri

A sensitive detector of the gamma background and the beta surface contamination. Jaderna energie 6 no.11:379-382 N 160.

l. Fakulta technicke a jaderne fysiky, Ceske vysoke uceni technicke (for Behoumsk). 2. Dosimetricke oddeleni, Ustav jaderneho vyskusu, Ceskoslovenska akademie ved (for Koci).

RYBAK, M.; PETAKOVA, M.; KOCI, J.

On the inhibitive effect of some substances on the properdin system-comparison with their enticomplement action. Cesk. epidem. 11 no.1158-61 Ja 162.

1. Ustav hematologie a krevni transfuse v Prase.
(PROPERDIN pharmacol.) (CONTENENT pharmacol.)

KUBEC, Vladimir; ZAMECNIK, Jiri; PLACHEROVA, Anna; KOCI, Jiri

Dosimetric information on the radiation dosage obtained in the inner pelvis during radiation by different technics. Cesk. rentgenol. 16 no.1:18-24 F 162.

1. Onkologicky ustav v Praze 8, reditel MUDr. Frantisek Vadura.
(RADIOESTRY) (PELVIS radiation effects)

SCHEELBER, V.; KOCI, J.; ECKERTOVA, A.; FRANC, 2.; KPENTOVA, V.

The hypothalmic factor activating adenohypophysial acid phosphatases and tsh release in vitro: further purification by high-voltage electrophoresis. Physiol Bohemoslov 10 no.5:417-426 '61.

1. Laboratory for Endocrinology and Metabolism, Third Medical
Clinic, Faculty of General Medicine, Charles University, Prague;
Institute of Haematology and Blood Transfusion, Prague; Institute
of Pharmacy and Biochemistry, Prague.

(HYPOTHALAMUS physiol)


(PHOSPHATASES metab)


(THYROTROPIN physiol)

KOCI, J.; RYBAK, M.; MANSFELD, V.

Inhibiting action of antilysine fractions on proteases. Coll Cs Chem 27 no.9:2119-2124 8 '62.

1. Institut fur Haematologie und Bluttransfusion, Prag und Forschunginstitut fur Pharmasie und Biochemie, Prag.





SCHREIBER, V.; RYBAK,M.; KCCI,J.; ECKERTOVA,A.; FRANC,Z.; JIRGL,V., KOUNTOVA, V.; KAPITOLA, J.; SKHESTIK,V.; KHESLOVA, V.

Hypithalamic factor releasing thyrotropin (TRF). Acta Univ. Carol. [med.] (Praha) 10: suppl. 17:105-110 163

1. Laborator pro endekrinologii a metabolismis, fakulty vseobecneho lekarstvi University Karlovy v Praze (rediteltakademik Josef Charvat); Ustav hematologie a krevni trasfuse (reditelt prof. MUDr. J.Horejsi) a Vyakumy ustav pro farmacii a bioohemii (reditelt dr. ins. O.Hemecek).

APPROVED FOR RELEASE: 09/18/2001

CIA-RDP86-00513R000723520016-5"

Czechoslovakia

CZ/0078/65/000/011/0015/0015

INVENTOR: Koci Miroslay (Engineer); Netusil, Miroslay (Engineer); Novak, Vladimir (Engineer; Prague)

CHIEF THE PROPERTY OF THE PROP

ORG: none

TITLE: Computer setup for the evaluation of biological processes. CZ Pat. No. PV 5254-62, Class 30a

SOURCE: Vynalezy, no. 11, 1965, 15

TOPIC TAGS: biology, computer, Fourier analysis

ABSTRACT: An Author Certificate has been issued for a device to evaluate biological processes. It has a converter at the input of the tape recorder with an infinite wire loop to register the process observed. At the output of the tape recorder there is a selective circuit to which an analogue counter is attached for the evaluation of the Fourier coefficient.

KOCIAN, Jan, ins.

Use of telemeters for detail measurement in technical and economic mapping. Good kart obsor 10 no. 3: 52-5% Mr 164.

1. Institute of Geodesy and Cortography, Bratislava.

KOCIC, Julijana, ins., asistent (Noff Sad, Tehnoloski fakultet) VUJICIC, Ivica, dr., docent

Modification of the fractionation process in the nitrogen substances of cheese in order to determine nitrogen according to micro-Kjeldahl technique. Tehnika Jug 18 no. 12: Supplement: Prehran ind 17 no. 12: 2315-2318 D '63

Tehnoloski fakultet u Novom Sadu (for Kocio).
 Poljoprivredni fakultet u Novom Sadu (for Vujicio).

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"

GUTVIRTH, J.; GHODERA, J.; EGGI, M.; MYDEIL, V..

Registration of respiratory movements in premature infants by induction changes. Gook, podiat. 17 no.11;280-284 N '62.

(RESPIRATORY FUNCTION TESTS) (INFANT NEWBORN)

SZUTTOR, Norbert, doc, ins., CSc.; KOCI, Michal, ins.

Some results of the technical and economic analysis of the compressed—air production and distribution at the Dech-tarka Section of the Rudne bane mine in Dubrava. Rudy 11 no.12:397-400 D*63.

1. Vysoka skola technicka, Kosice (for Szuttor). 2. Rudne bane, Dubrava (for Koci).

z/039/62/023/001/007/007 b291/b303

AUTHOR:

Koci, Miroslav

TITLE

Instrument for tracing arterial-pulse curves

PERIODICAL:

Slaboproudy obzor, v. 23, no. 1, 1962, 51 - 53

The article describes an instrument for tracing arterial-pulse curves (sphygnograph), developed as a supplement to the "Elema" electrocardiograph by the TMV, Laborator grafickych vycetrovacich metod (Czechoslovak AS, Loratory of Graphic Methods of Diagnosis). The instrument features a pneumatic device where differential pressures, picked-up by a sensor and a microgage, are conveted into electrical pulses by a semiconductor circuit employing a detuned bridge for amplitude modulation of the carrier wave which is then demodulated in a detector. The sensor, applied to the skin with slight pressure, is a foam-rubber filled rubber pad which is connected by a small rubber hose to a very sensitive microgage. The microgage capacity is incorporated into a balanced bridge cir-

Card 1/2

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"

Instrument for tracing ...

2/039/62/023/001/007/007 D291/D303

cuit which is fed from an oscillator. Differential voltages, originating from bridge detuning by the variable microfage capacity, are amplified and led to the phase-discriminating detector. The fully transistorized instrument is battery-fed, very small, and reliable in operation. There are 9 figures.

ASSOCIATION:

CSIV, Laborator grafických vyšetrovacích metod (Czechoslovak AS, Laboratory of Graphic Methods of Diagnosis).

SUBMITTED:


September 19, 1961

Card 2/2


DOSTAL, C.; NOVAK, V.; KOCI,M.; HETUSIL,M.

Evaluation of the pulse curve with the use of Fourier's enalysis. Cas. lek. cesk. 103 no.191526-530 8 My'64

1. Vyskumny ustav chorob rovmatickych v Praze (reditel: prof. F.Lenoch, DrGo) a Luborator grafickych vysetrovacich metod CSAV v Praze (redital: akademik V.Laufberger).



"APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5



```
- Pranciska Patrice (1984)
AM. 7007. 1 AZBIOL., No. 4, 1957, No. 12000
               : 1001, 11 50.4.
AUTHOR
1797.
11161
               is disport similar the Monday are free of by
                Char Megalication Francis Francis a Calvol son
Discription Con Colony 113 son the The Topical
unic. 1918. Cholinghuander stru, 1990, 1, 19 1, 3 2-4-8
               ្រៅប្រទេស ប៉ុន្តែ (១០១ ០៩ ១) ១៩២០ ១៩២០ ១៩២០ ១៩៩២០ ១
១៩២៤ ១ ទី១៩ ២៩៤៤ ១៩១១ ២០ ១៩៩២០ ១៩៩២០ ១
១២០១ ១៩៤ និង្ហាស្ថាល ស្លាមសម្ភេស ប្រទេស ១៩៩២២៣១
3.33
                right of looks by and right, out importing ord
                 ับการีวทหลังทางกับที่กลังสามารถการที่จริง
                 วีซ อริปอติ - กราชโดริก ซอก ปฏิกับ ion เพาะมีกับ
                wilk by regulative protein peace in larger
                 tion 0.4-0.5 % doses or over this cor in less to a certaristo of he dim the fine of second
                 the be recommended as a sectioning in fally
                1/2 *of Pattening.
 02.301
```

CATHEORY : Pre Animals. Causis.

APPROVED FOR RELEASE: 09/18/2001/959 CIA-RDP86-00513R000723520016-5"

AUTHOR : INST. : TITLE :

ORIG. PUB. :

ABSTRACT : dosed of 0.25 kg upd togetded on a supplementary vitemic feed; 3g. -- N. S. Bordonov

CARD: 2/2

157K 1+05

MOCI, Z. - Yel. 3, me. 2, Feb. 1955. STROJIRZESKA VYROBA

Better care in servicing and maintenance of machine tools. p. 79.

SO: Monthly list of East European Accessions, (MEAL), LC, Vol. 4, No. 9, Sept. 1955 Uncl.

KOCIALKOWSKI Kazimierz; GAWRONSKI, Mieczyslaw

On the amyloid goiter. Pol. tyg. lek. 20 no.21:770-772 24 Hy 165.

1. Z II Kliniki Chirurgicznej AM w Poznaniu (Kierownik: prof. dr. Roman Drews i z Zakladu Anatomii Patologicznej AM w Poznaniu (Kierownik: prof. dr. Jamusz Groniowski).

Echinococcus of the pericardium. Pol. przegl. chir. 37 no.21 175-177 F 165

1. Z II Kliniki Chirurgicznej Akademii Medycznej w Poznaniu (Kierowniki prof. dr. R. Drews).

Tuberculosis of the stomeh according to observations at the 2d Surgical Clinic of the Academy of Medicine in Posnan. Polski tygod. lek, 16 no.29:1122-1126 17 J1 '61.

1. Z II Kliniki Chirurgiesnej A.H. w Posnaniu; kierownik: prof. dr Roman Drews.

(TUBERCULOSIS GASTROINTESTINAL)


Multifocal form of echinecoccests of the liver and adjacent organs. Pol. tyg. lek. 19 no. 90:1940-1942 14 D '64.

1. Z II Kliniki Chirurgiosnej Akademii Hedyosnej v Posnaniu (Kierownika prof. dr. Roman Drews).

Pericardial cyste. Folaki przegl. chir. 33 no.10:1123-1130 '61. 1. 2 II Klimiki Chirurgiosnej M w Posnaniu Kierownik: prof. dr R. Drews. (PERICARDIUM dis) (CISTS)

Surgical treatment of cysts of the pancreas. Polski prsegl. chir. 33 no.7/31990-991 61.

1. Z II Chirurgicanej AH v Posnaniu Kierownik: prof. dr R. Drews. (PANCREAS dis) (CYSTS surg)



TUCHOLKA, Zbyssko; CZEKALSKI, Arred; KOCIALKOWSKI, Zdsiskaw

Preliminary studyes on the content of certain microelements in the soils of Bydgussos Voivodeship. Prace nauk roln i less 18 no.2:161-166 64.

1. Department of Agricultural Chemistry, College of Agriculture, Posnan.

ANDRZEJEWSKI, Marceli; CZEKALSKI, Alfred; KOCIALKOWSKI, Zdsislaw

Influence of organic manuring and liming on the solubility changes of certain microelements. Prace nauk roln i lesn 18 no.2145-50 '64.

Preliminary studies on the microelement content in mountainous soils. Ibid.:51-58

1. Department of Agricultural Chemistry, College of Agriculture, Posnan.

TUCHOLFA, 2byssko; BALUK, Antoni; CZEKALSKI, /lfred; KCCIALKOWSKI, Zdsielew

Mineral content in meadow plants of certain regions of the Poznan Province. Pt. 2. Frace nauk roln i lesn 18 no.2:149-159 '64.

1. Department of Agricultural Chemistry, College of A;ri-culture, Posnan.

NUMBER OF STREET STREET, STREE

Remote results of the surgical treatment of intrathoracic goiter. Pol.tyg. lek. 19 no.49:1891-1894 7 D 164

l. Z II Kliniki Chirurgiomej Akademii Hedyomej w Poznaniu (kierowniki prof. dr. Roman Drews).

CZECHOSLOVAXIA

APPROVED FOR RELEASE: 09/18/2001 vskeCIA-RDP86-QQ5138000723820016-5"
FOVERSKE MURRUM, Zilina.


THE PROPERTY OF THE PROPERTY O

"The Owl Strix uralensis macroura Wolf, 1810, in Northwestern Slovakia."

Bratislava, Biologia, Vol 18, no 7, 1963; pp 533-534.

Abstract: Brief report of 4 captured specimens of this owl which had until now not been known to nest in Northeestern Slovekia. Table gives anatomic measurements of the 4 specimens. Table; 1 German, 3 Csech references.

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY



APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"

KOCIAH. J.

TECHNOLOGY

periodicals: SDELOVACI TECHNIKA Vol. 6, no. 9, Sept. 1958

KCCIAN, J. Special arrangement for communication equipment to be used in unfavorable climatic conditions. p. 334.

Monthly List of East European Accessions (EEAI) LC Vol. 8, no. 5 Hay 1959, Unclass.

KOCIAN 1 (M))

CZECHOSLOVAKIA

KOCIAN, J., MD.

Internal Medicine Ward of the Hospital (Vnitrni oddeleni nemocnice), Prague

Prague, Prakticky lekar, No 13-14, 1963, pp 512-514

"Anaphylactic Shock in Intracataneous Test during First Application of Tetanus Antitoxin."

CHARAMZA, Frantisek, ins.; KARSKY, Georgij, ins.; KASL, Josef, ins.; KOCIAN, Jan, ins.; STASTNY, Vaclay, ins.; VISOVA, Eva, ins.

Problem of automation of geodetic calculations. Geod kart obser 10 no.9/10:217-222 0 '64

KOCIAN, J.

Impregnating with waxes, compounds, and varnishes. p. 490.

SIA BOPROUDY OBZOR. (Ministerstvo vesobecniho strojirenstvi, Ministerstvo, spoju a Ceskoslovenska vedecko-technicka spolecnost, sekce elektrotechnika) Praha, Csechoslovakia, Vol. 20, No. 7, July 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 11, November 1959.

Uncl.

E KOOTAN, Jan, ins.

Packing telecommunications merchandise to be shipped to tropical regions. Slaboproudy obsor 21 no.10:602-606 0 *60. (EEAI 10:2)

1. TESLA Strasnice, narodni podnik
(Packing for shipment) (Tropics)
(Electric equipment) (Telecommunication)

SKACEL, Jaroslav; MAREK, Miloslav; MIKUS, Miloslav; KNEZ, Jaroslav;
PAUK, Tomas; BARTAS, Frantisek; CREL, Petr; VIBIREL, Josef;
BARTH, Vojtech; KNETTING, Petr; FOJT, Bohuslav; DVCRAK, Jaroslav;
MOCIAN, Jan

The 2nd Regional Geological Conference in Opava. Prir cas slexaky 23 no.1:133-143 162.

KOCIAN, Jan, ins.

Experience in the Institute of Geodesy and Cartography in Bratislava with the LEP-30 calculation machine. Good kart obsor 9 no.8:222-223 Ag 163.

1. Ustav geodesie a kartografie, Bratislava.

1. 111126-66 FAP(4)/FFI LIP(6) SOURCE CODE: CZ/0039/66/027/003/0168/0173 ACC NR. AP6030215 AUTHOR: Kocian, Jan-Kotsian, Ya. (Engineer) ORG: TESIA Strasnice, n.p., J. Haken Plant, Prague (TESIA Strasnice, n.p., gavod J. Hakena) TITIE: Deep impregnation of windings by lacquers with thorough evaporation of the thinner SOURCE: Slaboproudy obsor, v. 27, no. 3, 1966, 168-173 TOPIC TAGS: metal surface impregnation, metal coating ABSTRACT: The article classifies impregnating materials according to the way in which they form a solid <u>film</u> and process. It then describes Czechoslovak equipment which facilitates thorough removal of the thinner from the windings. The evaporation tests, the evaporation procedure and the measurement of the temperature distribution within the impregnating vessels are described. Orig. art. has: 5 figures and 1 table. [Based on author's Eng. abst.] [JPRS: 36,644] SUB CODE: 11 / SUBM DATE: 26Apr65 / ORIG REF: 002 / OTH REF: 001 UDC: 621.315.617 Cord 1/1 ALTERNATION CONTRACTOR ALLE WARREST WAS DESCRIBED, STREET AND MORNE

1. 38321-66 ACC NRAP6027979	SOURCE CODE: CZ/0024/66/000/004/0092/0097	- - - -
AUTHOR: Kocian, Jan (Engineer)	Cartography, Bratislava (Ustav geodesie a kartografie) misation and automation of geodetic computations at rtography at Bratislava licky obsor, no. 4, 1966, 92-97 geodesy, computer technology s the organisation of preliminary work and the con- for geodetic computations, the organisation of colla- controls and the regulting output. The results are	
	rtography, Bratislava (Ustav geodesie a kartografie)	
TITIE: Experience in the mechanithe Institute of Geodesy and Cart	sation and automation of goodetic computations at	A Andrewson Commencer of the Commencer o
SOURCE: Geodeticky a kartografic	ky obsor, no. 4, 1966, 92-97	
TOPIC TAGS: computer program, go	odesy, computer technology	
struction of a computer program for boration with computer conters, o	the organisation of preliminary work and the con- for geodetic computations, the organisation of colla- controls and the resulting output. The results are of the desired precision and an economic analysis is Based on author's Eng. abst. [JPRS: 36,844]	
SUB CODE: 06, 09 / SUBH DATE:	none	
,		
w.	IDC: 528.063:518.5	1
Card 1/1	09// 1698	

KOCIANA JORSEAL BRAZDIRA, Ivo

Trials on the conductometric determination of changes in the permeability of isolated frog skin. Sor.med.fac. med. Erunengis 36 no.71329-337 163.

1. Katedra farmokologie lekarske fakulty University J.E. Furkynė v Brne (Vedouci katedry: MUDR. J. Sajner, CSc.), a Katedra lekarske fysiky lekar. fakulty University J.E. Purkyne v Brne (Vedouci katedry: sast. doc. MUDr.J.Stanek, CSc.)

NEZVAL, Jaroslav; HRAZDIRA, Ivo; KOCIAN, Josef

Changes in the permeability of inclated frog skin caused by Septonex and chemicals influencing its bactericidal action. Sor. med. fac. med. Brumensis 36 no.71323-328 163.

1. Katedra hyg. epid. lekarske fakulty University J.E.
Purkyne v Brne (Vedouci katedry: prof. MUDr. et RHDr. K.
Halacka); Katedra lekarske fysiky lek. faku ty "niversity
J.E.Purkyne v Brne (Vedouci katedry: sast. doc. MUDr.J.
Stanek, CSc.) a Katedra farmakologie lekarske fakulty University J.E.Purkyne v Brne (Vedouci katedry: MUDr. J.Sajner, CSc.).

KOCIAN, L.

"Investigation of pectins." p. 196. "Aid of chemists in rolling mills." p. 197. "Achievement of improvers in the paper mills in Hamry." p. 197. "It is necessary to save imported raw materials." p. 197. "We use Soviet methods." p. 197. (Chemis. Vol. 7, no. 10, Oct. 1951 Praha.)

SO: Monthly List of East European Accessions, Vol. 3, no. 6, Library of Congress, June 1954. Uncl.

Z/039/61/022/001/002/006 E192/E382

AUTHORS: Kocian, Pavel and Kracík, Jiří, Docent

TITLE: The Conditions of Appearance of a Striated Lowpressure Discharge

PERIODICAL: Slaboproudý obsor, 1961, Vol. 22, No. 1, pp. 16 - 19

TEXT: It is known that a striated discharge can be obtained if the gas in the discharge tube contains some heavy negative ions. The problem of producing such discharges was investigated experimentally. The discharges were studied in argon, mixed with a compound P-85 which consisted of acetone, amylacetate and nitrocellulose (this material is used as the binder for activating materials on tungsten electrodes). The results of the experiments are shown in six graphs and seven photographs. The conditions of the appearance of a striated discharge were investigated as a function of voltage, diameter of the discharge tube and the total pressure (argon + P-85) and partial pressure of P-85. A typical set of experimental graphs is shown in Fig. 1.

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"

Z/039/61/022/001/002/006 E192/E382

The Conditions of Appearance of a Striated Low-pressure Discharge

These give the discharge current as a function of the total pressure (argon + P-85) at which the strictions appear. The measurements were carried out with AC and DC and it was found that in both cases the discharge was of the same type. The discharges represented in Fig. 1 were carried out at various argon pressures (ranging from 0 to 8.1 tor). From the graphs it is concluded that as the pressure of P-85 is increased, i.e. the number of heavy particles is increased, the striations are easier to obtain. On the other hand, when the partial pressure of argon is increased, the ability of the discharge to produce strictions is reduced. Thus, at 7 tor pressure (2 tor of argon) the striations appear at 3.3 mA; on the other hand, for the same pressure of P-85 but with argon pressure of 4.1 tor, the striations are obtained at 8.9 mA. The strictions can be in the form of a regular or irregular helix or of separate striae. The

Z/039/61/022/001/002/006 E192/E382

The Conditions of Appearance of a Striated Low-pressure Discharge

voltage across the electrodes of the discharge tube as a function of the overall pressure was also investigated for various argon pressures. It was found that, in general, the appearance of the striations could be effected at lower voltages as the partial pressure of P-85 was increased. By measuring the dependence of the discharge current on the diameter of the discharge tube it was found that by increasing the diameter of the tube the striations would be produced more easily than in small-diameter tubes. Rotating striations were also observed over a certain narrow range of currents and pressures but this phenomenon was not investigated in detail. There are 13 figures and 11 references:

ASSOCIATION:

Fyzikální ústav elektrotechnické fakulty. Poděbrady (Physics Institute of the Electrotechnical Division, Poděbrady)

Card 3/4

0

SOURCE CODE: CZ/0037/65/000/004/0328/0333 L 34768-66 ACC NR. AP6026278 AUTHOR: Koolan, Payel ORG: Department of Physics, Electrical Engineering Faculty, CVUT, Prague (Katedra fysiky elektrotechnicke fakulty CVUT) TITLE: Stricted positive column of low pressure glow discharge in electronegative gases SOURCE: Ceskoslovensky casopis pro fysiku, no. 4, 1965, 328-333 TOPIC TAGS: glow discharge, positive column, gas property, halide, negative ion, positive ion, electronic circuit ABSTRACT: The paper gives a survey of the experimental knowledge of a striated positive column in electronegative gases, particularly in cortain halides. It points out the different properties of a positive column in such gases compared with those of a column in atomic gases, especially the shape of the striations and their mutual arrangement. It also points out that the changed properties are due to the presence of negative ions and their three dimensional recombination with positive ions. The dependence of the distance between strictions on the discharge current, the pressure and the parameters of the electric circuit is investigated experimentally for various gases. The invalidity of Goldstein's law for electronegative gases is proved Orig. art. has: 4 figures. [Based on author's Eng. abst.] [JPRS: 32.945] SUB CODE: 07, 09 / SUBM DATE: 290ec63 / ORIG REF: 005 / OTH REF: 019 THE RESERVE THE PROPERTY OF TH

"APPROVED FOR RELEASE: 09/18/2001

CIA-RDP86-00513R000723520016-5

1. 1701_AA ENT(1)/EPA(s)-2/EPA(W)-2/ENA(M)-2 ACCESSION NR: AP9024075

cz/0039/64/025/012/0698/0706

AUTHOR: Kociso, Pavel

TITLE: Experimental investigation of low-pressure discharge in gases of the 5th, 6th and 7th groups

SOURCE: 81aboproudy obsor, v. 25, no. 12, 1964, 698-706

TOPIC TAGS: gas discharge, gas type, low pressure research, gas property

ABSTRACT: [author's Russian and Brelish summaries, modified]: Low-pressure discharge in electronegative gases and the volt-empere response in various gases at different temperatures and tube dismeters were investigated experimentally. The obtained responses are compared with those in inert gases, and the differences are explained. Three types of visually discernible low-pressure discharges are described. The positive column is investigated experimentally, and the axial field component is measurements were made at various points on the circular section of the tube, at the axis as well as near the walls. The obtained values are plotted in a graph as a function of the discharge current. The relations are discussed and compared with similar relations for inert gases. Orig. srt. has: 18 figures, 27 formulas and 15 graphs.

:	L 1721-66	6 · · · · · · · · · · · · · · · · · · ·			3	
:	ACCESSION HR: AP9021075					
1	ASSOCIATION: Katedra fyziky elektrotechni Department of the Electrical Engineering	icke fakulty Division at t	CVUT, Prague () he Czech Insti	Physics tute of		
	Technology CVUT)		•			,
_	SUBMITTID: 19Feb64 ENCLI	00	SUB CODE:	EC ·		
And the second	NR REF SOVI 000 OTHER	a: 009	JPRS			
1					. 4	Carried States
						-
٠.						And in the second
						- 100
	Card 2/2 D				e de la companya de l	1

ACCESSION NR: AP4015900

2/0039/64/025/001/0044/0047

AUTHOR: Koeian, Pavel (Candidate of sciences)

TITLE: The influence of an external magnetic field on the properties of striated discharge

医多种性性性性性性性炎性性的 原理的多种的比较级对对的类型的类型的类型的类型的现在分词 医动物性神经性炎 化聚代替氏性性性性性性炎 医阴道性性炎 医阴道性炎 医乳毒素

SOURCE: Slaboproudy obser, v. 25, no. 1, 1964, 44-47

TOPIC TAGS: magnetic field, stricted discharge, discharge, homogenous magnetic field, electrons

ABSTRACT: The purpose of this paper is to calculate the dependence of the frequency of the rotation of the striated discharge and its shape (its ascending pitch) on the external homogenous axial magnetic field, and to determine the possibility of influencing this discharge by the above magnetic field. As a starting point the following equations are used: equations for the disturbance of electron concentrations and positive and negative ions in equilibrium, and an equation for the scalar potential disturbance. By solving this system of equations the author obtains the radial distribution of particles, and by discussing the third term in the resulting equation he obtains two relations

Cord 1/2

THE REPORTED BY THE SHEET SHEE

ACCIANT, Parent

Experimental distribution of the precision discretize of sames of the fits, etc., and this proupe. Distribution is noticed that the fits of the condition of the Cosmo Biomer Second of Tachnet py, France. Submitted Pebrurary 19, 1964.

2/055/62/012/009/004/005

AUTHORS:

Kracik, J. Kocian, P.

TITLE:

The influence of a magnetic field on the rotation

and shape of threads in a thread discharge

PERIODICAL: Czechoslovak Journal of Physics, v. 12, no. 9,

1962, 719-720

TEXT: It is known, for example from [1] and [2], that if there is a high-nolecular substance in the discharge space of a glow discharge, a thread is produced in the positive column. In the general case the thread is irregular in shape and performs irregular motion. Only in a narrow current and pressure interval can slow uniform rotation of a more or less regular, helical-shaped thread be attained, this being made possible by the intrinsic magnetic field of the discharge. Since the intrinsic magnetic field is small, it follows that the thread, its motion and shape can be influenced by even quite a small external magnetic field. This has been experimentally proved. A substance, known in engineering as P-85 and used for applying as active film to Gard 1/4

2/055/62/012/009/004/005

The influence of a magnetic field on ...

the surface of the electrodes of fluorescent lamps, is located in a cylindrical discharge tube 50 mm in disseter. It is actually a mixture of methyl alcohol acetone, anyl acetate and low nitrocellulose. The pressure of this atmosphere during the experiments was of the order of a tor and the discharge current of the order of 10 m A. An external axial homogeneous magnetic field, regulable in limits of 0-107 Ge, with a variable polarity, was applied to the discharge space. An analogous problem is solved in paper [7]. Here a study is made of the instability of a discharge in an external magnetic field while the charge, the plasma of which is formed only by electrons and positive ions, is attenuated and rotated by this magnetic field. In our case, however, the conditions are fundamentally different due to the negative ions. The dependence of the frequency of rotation on the magnetic field strength was found. It was proved that the frequency of rotation increased with increasing magnetizing current (Fig. 1). This dependence occurred even when a meaning current (Fig. 1). This dependence axis of the tube, it was deflected and rotated when a certain external

Card 2/4

\$/055/62/012/009/004/005

The influence of a magnetic field on ...

magnetic field was applied. The dependence of the shape of a regular thread, i.e. a helix, and particularly its pitch, on the intensity of the applied magnetic field was also investigated. Heasurements showed that the pitch of the helix decreases with increasing magnetic field (Fig. 2). References: [Kracik J., Kician P.: Csech. J. Phys. B 10 (1960), 772; /27 Kocian P., Kracik d.: Slaboproudy obsor 22 (1961), 16; 27 Kadomtsev B. E., Redospanov A. V.: Plasms Physics I


Abetractor's note: complete article?

ASSOCIATION: Electrotechnical Faculty, Physical Institute,

Podebrady

SUBMITTED: January 10, 1962


Card 3/4




KCCIAN V.

Proposal of a new method for calculating some physical properties of rayon staple. p.55. (Textile, Vol, 12, No. 2, Feb. 1957, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 9, Sept. 1957. Uncl.





KOCIAH, VOJTECH.

Clovek a adomacneia svirata. [1. vyd.] Proha, Orbis, 1953. 131 p. (Vedeni vsem) [Man and domesticated animals. lst ed.]

Not in DLC


SO: Monthly List of East European Accessions (EEAL) 1C, Vol. 6, no. 10, October 1957. Uncl.


KOCIAN, V.


Time schedules and development of the content of topics in scology in the 7th grade. p. 147

Vol. 5, no. 2, Yeb. 1955 PRIRODRI VEDI VE EKOLE Praha, Czechoslovakia

So: Eastern European Accession Vol. 5, No. 4, 1956







THE REPORT OF THE PROPERTY OF


KOCIANOVA, Marie, ins.

Keeping technical standards of seed and seedlings makes possible the increase of yield per hectare. Normalisace 11 no.91273-274 S '63.

1. Ustredni kontrolni a skusebni ustav semedelsky, Praha.

BRADAC, 0.; KOCIAHOYA. S.
Staphylococcal dermatitie. Ceek. pediat. 12 no.3:185-192

1. Deteke oddeleni EUEE v Liberci. Prednosta prim. Dr. Otto Bradac.
(MICHOCOCAL IMPECTIONS, in inf. & child
dermatitis (Cu))
(DERMATITIS, in inf. & child
micrococcal (Cu))



TASOVAC, Sinisa; TASOVAC, Beriveje; KOCIC, Andjelija

Acute mastitis in wet nurses; clinical aspects. Srpeki arh. celok. 1ek. 85 no.1:70-74 Jan 57.

1. Oinekolosko-akuserska klinika Medicinskog fakulteta u Beogradu Upravnik: prof. dr. Sinisa Tasovac. (MASTITIS,

。 1985年,1986年,1988年,198

in wet nurses, clin. aspects (Ser))

· 中心中,特别是一种主义,是一个人的主义,是一个人的主义,是一个人的主义,是一个人的主义,是一个人的主义,是一个人的主义,是一个人的主义,是一个人的主义,是一个人的主义,

MARSENIC, B., PETKOVIC, M., KOCIC, D., VKLOJIC, .D.

Pulmonary tuberculosis and peptic ulser of the stomach and duodenum. Tuberkuloma 15 no.3:370-375 J1-D:63

1. Opsta bolnica, His; Grudno od. (sef: prim.dr.B. Marsenic) i Interno od. (sef: prim. dr. M. Petkovic).

ζ

KCCIC. V.

Some characteristics of the battery of a sound recorder in usin; the CR-8 apparatus. p. 519. (GLASNIK, Vol. 5, No. 7, July 1957)

SO: Monthly List of East European Accessions (EEAL) IC Vol. 6, No. 12, Dec. 1957 Uncl.

STERN, P.; DOBRIG, V.; KOCIC_MITROVIC, D.

Effect of asulene on asthutic seisures caused by an anaphylotoxin in guinea pigs. Acta med. iugoslavl. 14 no.4:402-406 '60.


。 一个一个人的是一个一个人的人,我们就是一个人的人,我们就是一个人的人的人,我们就是一个人的人的人,我们就是一个人的人,我们就是一个人的人的人,我们就是一个人的人的

1. Pharmakolgisches Institut der Medisinischen Fakultet in Sarajevp.
(ASTRMA exper) (CICLOPARAFFIRS pharmacol)

VALENTOVA, M.; KOCICH, J.

Examination of changes of electrode potentials of Maria steel subject to elastic deformation. Shor VST Kosice no.1:69-75 '63.

1. Department of Chemistry, Higher School of Technology, Rosice (for Valentova). 2. Department of Technology, Kosice (for Kocich). Submitted April 5, 1962.



APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"

- 1987年 - A. Tarantara - 1987年 - 19874年 - 1987年 - 19

ARONSKI, Antoni; MASIANKA, Pawel; KOCIRBA, Ryssard

Considerations regarding endovenous anesthesia. Polski przegl. chir. 33 no.9/3:1060-1062 161.

1. Z II Kliniki Chirurgiosnej AH we Wroclaviu Kierovnik: prof. dr W.Bross.

(ANESTHESIA INTRAVENOUS statist)

KOCIEZENSKA-MUSIAL, Genovefa Analysis of the gravel of the Dunajec Fiver from Rosnow Village to its mouth. Biuletyn Geolog 1 no.1:126-137 '61.

1. Chair of Geology and Economics of Deposits, University, Warsaw.

THE PROPERTY OF THE PROPERTY O

KOCIECKI, J.

Improving the quality of paper. p. bh. (PRZEULAD PAPIERNICZY. Vol. 12, no. 2, Feb. 1956, Lodz, Poland)

SO: Monthly List of East European Accessions (ERAL) LC. Vol. 6, No. 12, Dec. 1957.

KOCIECKI, J.

"Problem of tracing papers." p. 363. (PRZEGLAD PAPIERWICEY Vol. 10, No. 12, Dec. 1954, Lods, Poland)

80: Monthly List of Mast Baropean Accessions. (MRAL). LC. Vol. 4, So. 4. April 1955. Uncl.

KOCIECKI, Januez; TABORSKI, Adam

The first Caracal lynx in a Polish zoo. Przegl zcol 8 no.4: 362-365 164.

1. Zoological Garden, Poznan.

KOCIECKI,S.

Standards for planting seeds in surseries and afforestation areas. p.26

LAS POLSKI. (Minsteretwe Lesnieth oran STowarsyssenie Maukowo-Techiesne Insynierow i Technikow Lesnietwa i Drsewnictwa) Warszwa, Poland Wol. 29, no.3, Mar.1955

Monthly list of East European Accessions (EEAI) LC, Vol.9, no.2, Feb. 1960 Uncl.

THE TRANSPORT OF THE TAX OF T

KOCIECKI, S.

Germination and cold-soaking of pine seeds before planting p. 112

SYLMAM. (Wydsial Nauk Rolniesych i Lesnych Polskiej Akademii Rauk i Polskie Towarsystwo Lesne) Varssawa, Poland (Journal on forestry issued by the Section of Agricultural and Forestry Sciences, Polish Academy of Sciences; and The Polish Society of Perestry; with English and Russian summaries. Includes supplements; Biuletyn Instytutu Badawcsego Lesnietwa, bulletin of the Forest Research Institute; Biuletyn Instytutu Technologii Drewna, bulletin of the Institute of Wood Technology; Przeglad Dokumentacyjny Drzewnietwa, documentation of the Institute of Wood Technology; and Prezeglad Dokumentacyjny Lesnictwa, documentation of the Forest Research Institute. Honthly)
Vol. 101, no. 3, Mar. 1957

Honthly List of East European Accessions Index (EEAI), LC, Vol. 8, No. 6, June 1959 Uncl.

APPROVED FOR RELEASE: 09/18/2001 CIA-RDP86-00513R000723520016-5"


KOCIECKI, S.


Comparative study of two experimental plantations of Polish larch in Czechoslovakia and in Poland. p. 39.


SYIWAM. (ydział Hauk Rolmiczych i Lestwich Polskiej Akademii Mauk i Polskie Towarzystwo Lesne) Warszawa, Poland. Tol. 103, no. 6/7, June/ July 1959.


Konthly List of East European Accessions (EEAI) LC, Vol. 9, no. 1, Jan. 1960.

Uncl.










ARENDZIKOWSKI, Bogumil; FOCIFISKA, Warda; PRZ'STAISKA, Helena
Smellpox epidemic in Mr. of w in 1963. Przegl. epidem. 18
no.2:153-163 '64.


1. Ze Stacji Sanitarno-Epidemiologicznej m. Wroclawia.


ZBUDZKI, T.; KOCIELSKI, J.

Head for core drilling of deep openings. Hechanik 34 no.9:474 161.

1. Huta Stalowa Wola, Stalowa Wola.







	ு வந்து இருக்கு இத்து இருக்கு வருக்கு வருக்க									
• Compared to the compared to		FOLAND				٠	•			
			2ype 1 0h	at and Type 3	Y Farit		•			
		YATERW,		Pidemiologican		I, Xo 4, 6	2, pp 377-	, , , , , , , , , , , , , , , , , , ,		-
	: •	tion wit gations Koprowek J V Fox	Author and viros vithin 6 h polio vimade in 11 is attem is indicated	e English sur logical analys werks after d irus type i Cu 959 and 1960 s lated oral vac led as a patho westigations las; 9 referen	Mary wadi is of pol Ompletion at and ty how the e ping type Sendo one	fied in a fine file in a f	pidenical, in Poland reunica- Investi- lety of le etrain		And the state of t	
		[2/2	•		:	#	7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1000年の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の	•
	!		7 கூறை செருவ் வரும் ஆர	The color of the state of the s	nd as the as substance was dispused.	ga ti em i digendenciani i e e ga	erana Pransier i sager apage apa	শাশী গুলা ইন যুৱা		
										-
	ř		ar (
un erren din errenen den	651×3410-00-00-00-00-00-00-00-00-00-00-00-00-0									

P/U14/61/040/008/003/008 D233/D305

AUTHORS:

Kocierz, Stanisław, and Zajonz, Hubert

TITLE:

Improving the hardness of granulated ammonium nitrate

PERIODICAL: Preemys? chemicany, v. 40, no. 8, 1961, 439 - 443

TEXT: A description of the investigation carried out at the Zakłady azotowe, Wydział Soli (Nitrogen Works, Salt Department), to improve the keeping properties of granulated NH₄NO₃ which tends to disintegrate into moist crystals, dust and form lumps. A short description of the granulating process is given. Brittleness of the granulate was measured by ball milling 200 g portions (separated from fines <0.5 mm) with 20 g of 4 mm steel shot, in a glass tube 1000 mm long x 70 mm diameter, at the rate of 21 turns/min. The fines (<0.5 mm) formed after 15 minutes were mechanically sieved as a measure of brittleness of the material. It was found that

Card 1/4

Improving the hardness of ...

P/014/61/040/008/003/008 D233/D305

hard granules did not suffer from the above-mentioned disintegration during storage, whilst brittle samples crumbled at a rate increasing with brittleness. Fischer's method was used to determine the total water content of the granulate since the weight loss on heating at 1050c for 2 hours yielded values which were ~0./1 % too low. Relationships between brittleness and the total moisture content of the granules and the effect of line and magnesia additions (as nitrates) were examined, finding that brittleness increased sharply with increasing water content. The effect of dolomite additions was relative slight. To determine the absorption of atmospheric moisture, 500 l of air of 0-80 % relative humidity were passed through 200 g samples of 1.25 ~ 2.5 mm granules, cooleding the latter from 300 to 180C. It was confirmed that brittleness can be induced by increasing the moisture content of the granulate. From the results obtained, a saltpeter drying plant was constructed on an industrial scale. The possibility of increasing the hardness of granulated NH₄NO₃ by adding ~1% of water-absorbing mine-

Card 2/4

war nate a transfer to have a believe the transfer that the transfer transfer that the transfer transfer that the transfer transfer transfer that the transfer transf

Improving the hardness of ...

P/014/61/040/008/003/008 D233/D305

rals was investigated. CaSO₄, ½ H₂O from Cementownia Bolko (Bolko Cement Works), siliceous earth from the region of Piotrowice finely crushed, dehydrated CaCO₃ and crushed tufa from Filipowice were tried. The experiments were conducted on an industrial scale, mixing powders with liquid saltpeter, in a 2-stage mixer prior to granulating. Cooled granules were coated with various mineral powders and stored for observation. On measuring the brittleness, it was found that mineral additions had, in general, increased granule hardness and inhibited lump formation. Gypsum semihydrate and siliceous earth were best in this respect, while the addition of CaCO₃ resulted in a very weak granulate. Work on the mechanism of these phenomena and on determining physico-chemical properties of the H₂O granulated NH₄NO₃ system is being continued. Apart from the authors, Boleskaw Skowrofiski, Zbigniew Ledziński, Henryk Maciejec and Edward Jankowiak participated in this investigation. There are 11 figures, 8 tables and 5 references: 3 Soviet-bloc and

Card 3/4

Improving the hardness of ...

P/014/61/040/008/003/008 D233/D305

2 non-Soviet-bloo. The reference to the English-language publication reads as follows: Canadian Patent 34257, 1945.

ASSOCIATION: Zakłady azotowe, Kędzierzyn (Natrogen Works, Kędzier-

SUBMITTED: March 1, 1961

Card 4/4

MCCIERZ, Stanislaw; MATTSIAK, Jersy

Mutual reaction of nitroso-compound games and solutions of ammonium nitrate under industrial conditions. Press chem 41 no.10:565-569 0 162.

1. Zaklady Asotowe, Kedsiersyn.

